



Booking Path External link

TECHNICAL SPECIFICATION

Version 1.0

Table of contents

1. "Mono room" use case (only).....	3
1.1. Url & Parameters.....	3
1.2. Examples	4
2. "Mono & multi rooms" use case.....	5
2.1. Url & Parameters.....	5
2.2. Examples	6
3. Appendix.....	8
3.1. Context site subdomains	8
3.2. Authorized languages.....	8



1. “Mono room” use case (only)

This external link must be use for mono room only.

1.1. URL & PARAMETERS

Url: https://{contextSite}.accor.com/lien_externe.svlt?goto=rech_resa&{otherParameters-see-below}

Functional name	Param name	Mandatory	Comments	Sample values
Context site	contextSite	Yes	Subdomain See appendix for values	all.accor.com
Destination	destination	Yes	Allowed values are : - geographical (city, region, country, continent) - hotel code (4 alpha numeric characters) - tourist attraction (Eiffel tower)	« paris-france » « france » « europe » « 0637 »
Arrival date	dayIn monthIn yearIn	No	dayIn is the day of arrival monthIn is the month of arrival yearIn is the year of arrival This field is mandatory if preferredCode not empty	Example for the 1 st June 2018: dayIn=1 or dayIn=01 monthIn=6 or monthIn=06 yearIn=2018
Length of stay	nightNb	No	This field is mandatory if the “Arrival date” is filled Allowed values between 1 and 30	nightNb =1
Room criteria – adult number	adultNumber	No	Allowed value from 1 to X, depending on TARS configuration of the hotel Default value: 1	adultNumber =1
Room criteria – children number	childrenNumber	No	Allowed value from 1 to X, depending on TARS configuration of the hotel Default value: 0	childrenNumber =1
Room criteria – children age	childrenAge[index]	No	These fields are mandatory if the “childrenNumber” is filled. Maximum Allowed value depending on TARS	Example 3 children (0, 5 and 16 years old) childrenAge0=0 childrenAge1=5 childrenAge2=16

			configuration of the hotel	
Preferential Code	preferredCode	No	TARS key of hidden ("unqualified") offer	preferredCode=RA3CCW
Language	code_langue	Yes	See appendix for values	code_langue=en
ALL fidelity card number	fidelityCardNumber	No	12 digits	fidelityCardNumber=012345678912
SourceId/MerchandId	sourceid/merchantid	No	Acquisition traffic identification. Provided by AccorHotels.	sourceid=XXX merchantid=YYY

1.2. EXAMPLES

https://all.accor.com/lien_externe.svt?goto=rech_resa&destination=0637&dayIn=1&monthIn=6&yearIn=2020&nightNb=1&adultNumber=1&childrenNumber=1&childrenAge0=10&code_langue=en

https://ibis.accor.com/lien_externe.svt?goto=rech_resa&destination=0637&dayIn=1&monthIn=6&yearIn=2020&nightNb=1&adultNumber=2&code_langue=fr

2. “Mono & multi rooms” use case

This external link must be use for mono or multi room.

2.1. URL & PARAMETERS

Url:

https://{contextSite}.accor.com/lien_externe.svlt?goto=wl_intpartner_search&{otherParameters-see-below}

Functional name	Param name	Mandatory	Comments	Sample values
Context site	contextSite	Yes	Subdomain See appendix for values	all.accor.com
Destination	destination	Yes	Allowed values are : - geographical (city, region, country, continent) - hotel code (4 alphanumeric characters) - tourist attraction (Eiffel tower)	« paris-france » « france » « europe » « 0637 »
Arrival date	dayIn monthIn yearIn	No	dayIn is the day of arrival monthIn is the month of arrival yearIn is the year of arrival This field is mandatory if preferredCode not empty	Example for the 1 st June 2018: dayIn=1 or dayIn=01 monthIn=6 or monthIn=06 yearIn=2018
Length of stay	nightNb	No	This field is mandatory if the “Arrival date” is filled Allowed values between 1 and 30	nightNb =1
Number of	roomNumber	No	Number of room	roomNumber=2

room			Default value: 1	
Room criteria – adult number	room[].adultNumber	No	Allowed value from 1 to X, depending on TARS configuration of the hotel Default value: 1	For roomNumber=2 (example) room[0].adultNumber=1& room[1].adultNumber=2
Room criteria – children number	room[].childrenNumber[]	No	Allowed value from 1 to X, depending on TARS configuration of the hotel Default value: 0	For roomNumber=2 (example) room[1].childrenNumber=2 NB: Room 0 without children
Room criteria – children age	room[].childrenAge[]	No	These fields are mandatory if the "childrenNumber" is filled. Maximum Allowed value depending on TARS configuration of the hotel	For roomNumber=2 (example) room[1].childrenAge=6& room[1].childrenNumber=4 NB: Room 0 without children
Stayplus toggle	freenight	No	Allowed values are : - YES - NO NB: uppercase only	freenight=YES
Preferential Code	preferredCode	No	TARS key of hidden ("unqualified") offer	preferredCode=RA3CCW
Language	code_langue	Yes	See appendix for values	code_langue=en
ALL fidelity card number	fidelityCardNumber	No	12 digits	fidelityCardNumber=012345678912
SourceId/MerchantId	sourceid/merchantid	No	Acquisition traffic identification. Provided by AccorHotels.	sourceid=XXX merchantid=YYY

2.2. EXAMPLES

[https://all.accor.com/lien_externe.svt?goto=wl_intpartner_search&destination=shanghai-china&dayIn=25&monthIn=2&yearIn=2020&nightNb=1&code_langue=en&roomNumber=2&room\[0\].adultNumber=1&room\[1\].adultNumber=2&room\[1\].childrenNumber=1&room\[1\].childrenAge\[0\]=10&freenight=YES](https://all.accor.com/lien_externe.svt?goto=wl_intpartner_search&destination=shanghai-china&dayIn=25&monthIn=2&yearIn=2020&nightNb=1&code_langue=en&roomNumber=2&room[0].adultNumber=1&room[1].adultNumber=2&room[1].childrenNumber=1&room[1].childrenAge[0]=10&freenight=YES)



3. Appendix

3.1. CONTEXT SITE SUBDOMAINS

Context site	Sub domain
Accor	all
HotelF1	hotelf1
Ibis	ibis
Novotel	novotel
Mercure	mercure
Pullman Hotels	pullman
MGallery	mgallery
Sofitel	sofitel

3.2. AUTHORIZED LANGUAGES

Language	Code
English	en
French	fr
German	de
Portuguese	pt
Italian	it
Spanish	es
Dutch	nl
Chinese	zh
Japanese	ja
Polish	pl
Brazilian portuguese	pt-br
Russian	ru
Indonesian	id
Korean	ko
Turkish	tr
Arabic	ar
Thai	th

